

Data Submission Dispenser Guide

Idaho Prescription Monitoring Program

Revised November 2014

Table of Contents

1. Data Collection and Tracking	4
Reporting Requirements.....	4
2. Data Submission	4
About This Chapter	4
Timeline and Requirements.....	4
Upload Specifications.....	4
3. Creating Your Account	4
4. Data Delivery Methods	7
4.1 Secure FTP.....	7
4.2 Web Portal Upload	8
4.3 Manual Entry (UCF).....	8
4.4 Zero Reports	8
5. Data Compliance	8
5.1 File Listing	9
5.2 Claim Forms Listing	9
5.3 View Records	9
5.4 Error Correction	9
6 Email Reports	10
6.1 File Failed Report	10
6.2 File Status Report.....	11
6.3 Zero Report Confirmation.....	13
7 Password Management	13
7.1 Changing Your Password.....	13
7.2 Changing Passwords for another User.....	13
7.3 Forgot Your Password	13
8 User Profile	14
8.1 Adding Users to Your Account	14
8.2 Adding States to your account.....	14

8.3.	Adding sFTP to a Registered Account	14
9	Assistance and Support.....	14
	Technical Assistance	14
	Administrative Assistance	15
10	Document Information.....	15
	Disclaimer.....	15
11	Appendix	16
11.1	ASAP 4.1 Specifications	16
11.2	SFTP Client Compatibility Chart	26

1. Data Collection and Tracking

This guide provides information regarding the Idaho Prescription Monitoring Program (ID PMP) program. The Idaho Prescription Monitoring Program (ID PMP), is the Idaho Board of Pharmacy solution for monitoring Rule 204 which states that “Specified data on controlled substances must be reported weekly, or more often as required by the Board, by all pharmacies holding a DEA retail pharmacy registration that dispense controlled substances and prescribers that dispense controlled substances. Data on controlled substance prescription drug samples does not need to be reported.”

A pharmacy that knowingly submits false information or fails to submit the required controlled substance prescription information to the Idaho Board of Pharmacy as required under Rule 204 and Idaho Code 37-2726 is subject to discipline by the Idaho Board of Pharmacy.

Reporting Requirements

Effective January 1, 2015, reporting is required daily. All data submissions must be submitted in the American Society for Automation in Pharmacy (ASAP) format adopted by the Idaho Board of Pharmacy.

2. Data Submission

About This Chapter

This chapter provides information and instructions for submitting data to the PMP AWARD repository.

Timeline and Requirements

Pharmacies and software vendors can establish submission accounts upon receipt of this guide. Instructions for setting up an account are listed below.

Upload Specifications

Files should be in the ASAP 4.1. Files for upload should be named in a unique fashion, with a prefix constructed from the date (YYYYMMDD) and a suffix of “.dat”. An example file name would be “20110415.dat”. All of your upload files will be kept separate from the files of others.

Reports for multiple pharmacies can be in the same upload file in any order.

Prescription information must be reported weekly.

3. Creating Your Account

Prior to submitting data, you must create an account. **If you are already registered with PMP Clearinghouse for another state, you do not need to create a new account for data submission. A single account can submit to multiple states.**

Note: Multiple pharmacies can be uploaded in the same file. For example, Wal-Mart, CVS, and other chain pharmacies can send one file containing data for all their pharmacies in the state. Therefore, chains with multiple stores only have to set up one account to upload a file.

Perform the following steps to create an account:

1. To request a data submitter account for PMP AWAR_xE, the user must go to <https://pmpclearinghouse.net> and click on data submitter registration at the top right of the screen or go directly to <https://pmpclearinghouse.net/registration>
2. The screen displayed requires the user to enter their current, valid email address and a password.
 - 2.1. The password must contain at least 8 characters, including 1 capital letter, 1 lower case letter, 1 number, and 1 special character (such as !,@,#,\$)

The screenshot shows a registration form titled "Profile". It contains three required fields, each marked with a red asterisk: "Email Address" (with the example "user@domain.com"), "Password", and "Password confirmation". Below the password fields, there is a text instruction: "Password must include at least 8 characters, including 1 capital letter, 1 lowercase letter, 1 number, and 1 special character (such as !,@,#,\$)".

3. The second grouping is the demographics section. Here the user must enter their name, date of birth, employer information, and other information as configured by the PMP Administrator.
 - 3.1. Required fields are marked with a red asterisk
 - 3.2. The user may be able to search for their user information and employer information using search boxes for different identifiers (DEA, NCPDP, or NPI).

The screenshot shows a "Personal" form with several input fields. On the left, there are four required fields marked with red asterisks: "First name", "Middle name", "Last name", and "Date of birth" (with a placeholder "mm/dd/yyyy"). On the right, there is a blue text instruction: "Searching for DEA or NPI will autopopulate your information if found." Below this are two search boxes: "DEA" and "NPI", each with a search icon.

Employer

* Name	<input type="text"/>	Searching for DEA or NPI will autopopulate your information if found.
* Address	<input type="text"/>	DEA <input type="text"/> <input type="button" value="Q"/>
Address (continued)	<input type="text"/>	NCPDP <input type="text"/> <input type="button" value="Q"/>
* City	<input type="text"/>	
* State	<input type="text" value="Select a State..."/>	
* Postal Code	<input type="text"/>	
* Phone	<input type="text"/>	
Fax	<input type="text"/>	

Note: PMP AWA_Rx_E users are able to submit data through the web portal via manual entry or upload of ASAP files. Secure FTP (sFTP) access is available for users who require an encrypted transfer method. We recommend sFTP only for those users who plan to automate their data submission.

4. If the user requires a sFTP account to transfer their data to PMP AWA_Rx_E it must be indicated when setting up the account. **IMPORTANT:** Please write down and remember the password that you enter. Once we create the sFTP account you will receive an email with the User Id to use for sFTP, however it won't provide the password that you enter below. Also, this password will not be stored within the application.

4.1. sFTP accounts are used to transfer data automatically between servers. It requires no interaction by a user.

Note: If sFTP is not required, skip to step 6.

5. If a user selects "Yes" for a sFTP account, the user must enter a desired password for the account.

5.1. The sFTP password must contain at least 8 characters, including 1 capital letter, 1 lower case letter, 1 number, and 1 special character (such as !,@,#,\$)

PMP AWA_Rx_E users are able to submit data through the web portal via manual entry or upload of ASAP files. Secure FTP (sFTP) access is available for users who require an encrypted transfer method.

Enable sFTP Access

IMPORTANT: Please write down and remember the password that you enter. Once we create the SFTP account you will receive an email with the User Id to use for SFTP, however it won't provide the password that you enter below.

sFTP Password

Password must include at least 8 characters, including 1 capital letter, 1 lowercase letter, 1 number, and 1 special character (such as !,@,#,\$)

6. The registering user must select which states they will be submitting data for. A list of available states using PMP AWA_Rx_E are selectable.

Submission Destinations

Please indicate which states should receive your data.

States STATE 1
 STATE 2

7. The registering user clicks submit. The request is submitted to the PMP Administrator for each of the states the user selected for data submission.

7.1. Once a PMP Administrator has approved the request, the user will receive a welcome email and can begin submitting data to PMP AWARxE.

7.2. If a sFTP account was requested, the sFTP account will be created and a prompt will be displayed to the user with the sFTP username. This information can be found again in the application under Account -> sFTP Details.

Users can test the sFTP connection but will not be able to submit data to a PMP until their account has been approved by the state administrator.

7.3. The user Id will be the first 5 characters of your employer name + your employer phone number + @prodpmssftp. Example User ID: chain5025554747@prodpmssftp

7.4. The URL to connect via sFTP is sftp://sftp.pmpclearinghouse.net

4. Data Delivery Methods

This section discusses the different options available to a user to submit the controlled substance reporting data file(s) to PMPClearingHouse. Users have the option of using a sFTP account, a web portal upload page, a manual entry UCF (Universal Claims Form) page, or submitting a zero report.

4.1 Secure FTP

Data submitters who select to submit data to PMP Clearinghouse by sFTP must configure individual folders for the state PMP systems they will be submitting data to. **The sub-folders should use a state abbreviation for naming (ex. KS, MS, NV, etc).** The subfolder must be located in the home/dir directory which is where you land once authenticated. Data files not submitted to a state subfolder will be required to have a manual state PMP assignment made on the File Listings screen.

1. If an account has not yet been created, perform the steps in Creating Your Account.
2. Prepare the data file for submission, using the ASAP 4.1 specifications described in Appendix
3. sFTP the file to sftp://sftp.pmpClearinghouse.net.
4. When prompted, use the username you received in an email when the sFTP account was created and the password you entered when requesting the sFTP account.
5. Place the file in the desired directory.

6. The user can view the results of the transfer/upload on the Submissions screen.

Note: If a data file was placed in the root directory and not a state sub-folder, the user will be prompted at the File Status screen to select a destination PMP to send the data to.

4.2 Web Portal Upload

1. If an account has not yet been created, perform the steps in Creating Your Account.
2. When logged into PMP Clearinghouse, Navigate to Upload File.
3. The user must select a destination PMP to send the data to.
4. The user selects their file to upload by clicking on the “Browse” button.
5. The user clicks the ‘Submit’ button to upload their file to PMPClearingHouse.
6. The user can view the results of the transfer/upload on the Submissions screen.

4.3 Manual Entry (UCF)

Manual Entry is an option for data submitters to enter their prescription information into the PMPClearingHouse system using a form derived from the Universal Claims Form. It allows the entry of patient, prescriber, pharmacy, and prescription information.

1. If you do not have an account, perform the steps in Creating Your Account.
2. When logged into PMP Clearinghouse, Navigate to Universal Claim Form.
3. Click New at the top right of the screen.
4. Select a destination PMP to send the submitted data to.
5. Complete all required fields.
6. Click Save.
7. Then click submit.
8. The user can view the results on the Claim Forms Listing screen.

4.4 Zero Reports

If you have no dispensations to report, you must report this information to the ID PMP by performing the following steps:

1. If you do not have an account, perform the steps in Creating Your Account.
2. When logged into PMPClearingHouse, Navigate to Zero Reports.
3. Select a destination PMP to send the submitted data to.
4. The user must select the start date, select the end date, and click on the button to submit the zero report. (NCPDP and DEA number are optional)
5. The request will be submitted to PMPClearingHouse.

5. Data Compliance

Data Compliance allows users of PMPClearingHouse the view the status of data files they have submitted.

5.1 File Listing

The File Status screen displays information extracted from the data files submitted to PMP Clearinghouse. The screen displays the file name, the number of records identified within the data file, the number of records that contain warnings, the number of records that contain errors, and the date and time of submission. A status column is located at the end of each row displaying the status of the file. If there are errors the status column will state "Pending Dispensation Error" and the text will be a hyperlink to the view records screen.

If a file is unable to be parsed into the Clearinghouse application, the appropriate message will display. A new file must be submitted to PMP Clearinghouse. It is not necessary to void a file that failed parsing since it was not successfully submitted to Clearinghouse.

If a file has been submitted by sFTP without using a state specific sub-folder, the file will be displayed and the user will be prompted to select a destination PMP for the data file to be transferred to.

5.2 Claim Forms Listing

The Claim Forms Listing displays the forms submitted to the PMP Clearinghouse. The screen displays the number of warnings and the number of errors. A status column is located at the end of each row displaying the status of the file. If there are errors the status column will state "Pending Dispensation Error" and the text will be a hyperlink to the view records screen.

5.3 View Records

The view records screen provides a deeper view of the records within a selected data file that need correcting. The screen displays Record ID (Appriss identifier), Segment Type, Warning Count, and Error Count. A "Correct" button is displayed at the end of each row that will allow the user to make corrections to the record.

To view the records that need correcting:

1. Click on the "Pending Dispensation Error" hyperlink in the status column.
2. The View Records screen is displayed.
3. Click on the correct button at the end of the row for the record you want to correct.

5.4 Error Correction

The Error Correction screen allows a user to make corrections to data submitted that did not pass the validation rules. The screen displays all the fields contained within the record and the originally submitted value. A "Corrected Value" column displays the values the user enters to correct the error. The Message column displays the relevant error message for the field explaining why it did not pass the validation rules.

For files that failed to parse, the error identified is "best effort" and any information we could not parse is listed as "unparseable" in the file. A corrected file should be submitted.

To correct records:

1. Identify the fields displayed that require corrections.
2. Enter the new corrected value into the corrected value column.
3. Click Submit.
4. The error will be processed through the validation rules.
 - a. If the changes pass the validation rules, the record will be identified as valid and the File Status and View Records screen will be updated.
 - b. If the changes fail the validation rules, the record will continue to be identified as needing corrections. The error message will be updated to identify any new error message.

6 Email Reports

Email status reports will be automatically sent to the users associated with a data submitter account. The emailed reports are used to both identify errors in files that have been submitted and confirmation of a zero report submission.

6.1 File Failed Report

The File Failed report identifies if the submitted file was not able to be parsed and was not processed into PMP Clearinghouse. The file contains a description of the error encountered within the file. In the event of a failed file, a new file should be submitted with the necessary corrections. Failed files are not parsed into Clearinghouse and do not require a Void ASAP file to remove it from the system. An example of a File Fail report is:

SUBJ: Idaho ASAP file: fake-test3.txt - Parse Failure

BODY:

Error Message

Failed to decode the value '04' for the bean id 'transactionControlType'.

Summary:

- * File Name: fake-test3.txt
- * ASAP Version: 4.1
- * Transaction Control Number: unparseable
- * Transaction Control Type: unparseable
- * Date of Submission: August 30, 2013

NOTE: This file could not be received into the system because the system could not recognize its content as a valid ASAP format. Action is required to resolve the issues and a subsequent file should be submitted. As such the information provided in this report is "best effort" and any information we could not parse is listed as "unparseable" in the fields above.

6.2 File Status Report

The File Status report is a report sent to notify the data submitter that a data file is currently being parsed by the state PMP system. The report notifies users of the following scenarios:

- Total Records: The total number of records contained in the submitted data file.
- Duplicate Records: The number of records that were identified as already existing within the PMP system. Duplicate records are not imported to prevent improper patient information.
- Records in Process: The number of records remaining to be processed into the system (usually only displays a number if the file has not finished loading at the time the report is sent out). **Records remaining to be processed will continue to be processed even after the status report is sent.**
- Records with Errors: Shows how many records contain errors. These errors will need to be corrected for the record to be imported into the system. If a zero (0) is displayed, there are no errors in the data.
- Records with Warnings: Shows how many records contain warnings. These warnings do not need to be corrected for the record to be imported into the system. If a zero (0) is displayed, there are no warnings in the data.
- Records imported with warnings: Shows the number of records that were imported if they had warnings. Records with warnings and errors must have the errors corrected to be submitted into the system.
- Records imported without warnings: Shows the number of records that were imported that had no warnings.

The initial report is sent out 2 hours after the file has been submitted to the system. Status reports will be received every 24 hours if errors continue to be identified within a submitted data file.

The report identifies specific records in the submitted data file and returns identifying information about the record and the specific error identified during the validation process. The report uses fixed width columns and contains a summary section after the error listings. Each column contains a blank 2 digit pad at the end of the data. The columns are set to the following lengths:

Column	Length
DEA	11 (9+pad)
NCPDP	9 (7+pad)
NPI	12 (10+pad)
Prescription	27 (25+pad)
Filled	10 (8+pad)
Segment	18 (16+pad)
Field	18 (16+pad)
Type	9 (7+pad)
Message	Arbitrary

An example of the report is:

SUBJ: Idaho ASAP file: fake-test3.txt - Status Report

BODY:

DEA	NCPDP	NPI	Prescription	Filled	Segment	Field	Type	Message
BE1234567	1347347	9034618394	123486379596-0	20130808	Dispensation	refill_number	WARNING	message example
DE9841394	3491849	4851947597	357199504833-345	20130808	Dispensation	days_supply	ERROR	message example

Summary:

- * File Name: fake-test3.txt
- * ASAP Version: 4.1
- * Transaction Control Number: 23489504823
- * Transaction Control Type: send
- * Date of Submission: August 30, 2013
- * Total Record Count: ###
- * Duplicate Records: ###
- * Records in Process: ###
- * Records with Errors: ###
- * Records Imported with Warning(s): ###
- * Records Imported without Warning(s): ###

6.3 Zero Report Confirmation

A Zero Report confirmation email is sent to a data submitter who successfully submits a zero report into PMP Clearinghouse. The report displays the PMP states the zero report was submitted to, the date range to be used in the zero report, the date the zero report was submitted to Clearinghouse, and the date the report was originally created by the data submitter. An example of the report is:

SUBJ: ASAP Zero Report: zero_reports_20130301KSMCPS.DAT

BODY:

Summary:

- * File Name: zero_reports_20130301KSMCPS.DAT
- * PMP Name: Idaho
- * Date Range: 2013-03-06 - 2013-03-06
- * Submission Date: 2013-08-23
- * Asap Creation Date: 2013-03-06

7 Password Management

Password management can be handled within PMP AWA_Rx_E by the user. The user's password will expire after a set amount of time (configured by the state PMP Administrator). A user is able to proactively change their password before it expires within the application through their user profile. If a password has expired, or if the user has forgotten the password, they can use a "Forgot My Password" to change their password.

7.1 Changing Your Password

1. When a user wants to change their current password, they navigate to their User Profile section.
2. The user selects the second navigation menu for Password Reset.
3. The user must then enter their current password and enter a new password twice.
4. The new password will take effect once the user has logged out of the application.

7.2 Changing Passwords for another User

1. Navigate to the Accounts menu option and select Users.
2. Select the Edit button for the desired user.
3. Create a new password for the user and click submit.
4. The user will now use the new password for logging into PMP Clearinghouse.

7.3 Forgot Your Password

1. When a user has forgotten their password or their password has expired, the user should click on the link named "Forgot My Password" located on the log in screen.
2. The user must entered their email address they used to register with the application.
3. The user will receive an email containing a link to reset the password for the user's account.
4. The user must enter the new password twice and then save the password.

8 User Profile

8.1. Adding Users to Your Account

PMPClearinghouse allows data submitters to add new users to the system that will have the same rights and access to submitting and viewing file status. This practice will allow a data submitter to create an account to be used for a backup individual.

1. In Users, the user can select to add users under the section titled “Users”.
2. The user will need to enter the first name, last name, and email address for a new user.
3. Once saved, the new user will be able to log into PMPClearinghouse.
 - a. The new user will use the email address used when creating their account.
 - b. The new user must use the “Forgot My Password” link to create a password for their account.
4. The new user can now log in and view all data files that have been submitted under the account.

8.2. Adding States to your account

If a registered user of PMP Clearinghouse needs to submit data files to an additional state using PMP AWARE, the user can submit the request through their Account settings page.

1. Navigate to the Account settings and select Multi State Approval from the dropdown.
2. The page that displays lists the current states the account has requested to submit data to and the current approval from that state.
3. To submit to a new state using PMP AWARE, simply check the state on the list. This will send the data submission request to the desired state’s PMP Administrator for approval.
4. After approval has been granted, the status will change from “Pending” to “Approved”. The account may begin submitting data to the new state.

Note: If submitting by sFTP, data must be located in the proper sub-folder to ensure proper delivery to the desired state PMP.

8.3. Adding sFTP to a Registered Account

If a registered account did not request a sFTP account during the registration process, a user of the account can request one in the Account options.

1. Navigate to the Account drop down menu and select sFTP Details.
2. Select the button to request a sFTP account.

Note: If a sFTP account already exists, the username will be displayed on this screen.

3. Enter the desired password for the sFTP account.
4. The sFTP username will be displayed on the screen after the sFTP account has been created.

9 Assistance and Support

Technical Assistance

If you need additional help with any of the procedures outlined in this guide, you can:

Contact Appriss at

1- 855-543-4767 (1-855-5ID-4PMP)

Technical assistance is available 24 hours, 7 days a week, 365 days a year.

Administrative Assistance

If you have non-technical questions regarding the Idaho PMP, please contact:

Idaho Prescription Monitoring Program

1199 Shoreline Lane Suite 303

Boise, Idaho 83704

Phone: 208-334-2356

Email: Teresa.anderson@bop.idaho.gov

10 Document Information

Disclaimer

Appriss has made every effort to ensure the accuracy of the information in this document at the time of printing. However, information may change without notice.

11 Appendix

11.1 ASAP 4.1 Specifications

The following information are the required definitions for submitting ASAP 4.1 records to IDPMP.

The following table will list the Segment, Element ID, Element Name, and Requirement. The Requirement column uses the following codes:

- R = Required by Idaho.
- N = Not Required.
- S = Situational.

Segment	Element ID	Element Name	Requirement
TH	TH01	Version/Release Number Code uniquely identifying the transaction. Format = xx.x	R
	TH02	Transaction Control Number Sender assigned code uniquely identifying a transaction.	R
	TH03	Transaction Type Identifies the purpose of initiating the transaction. <ul style="list-style-type: none"> • 01 Send/Request Transaction • 02 Acknowledgement (used in Response only) • 03 Error Receiving (used in Response only) • 04 Void (used to void a specific Rx in a real-time transmission or an entire batch that has been transmitted) 	N
	TH04	Response ID Contains the Transaction Control Number of a transaction that initiated the transaction. Required in response transaction only.	N
	TH05	Creation Date Date the transaction was created. Format: CCYYMMDD.	R
	TH06	Creation Time Time the transaction was created. Format: HHMMSS or HHMM.	R
	TH07	File Type <ul style="list-style-type: none"> • P = Production • T = Test 	R

TH	TH08	Routing Number Reserved for real-time transmissions that go through a network switch to indicate, if necessary, the specific state PMP the transaction should be routed to.	N
	TH09	Segment Terminator Character This terminates the TH segment and sets the actual value of the data segment terminator for the entire transaction.	R
ISO	IS01	Unique Information Source ID Reference number or identification number. (Example: phone number)	N
	IS02	Information Source Entity Name Entity name of the Information Source.	N
	IS03	Message Free-form text message.	N
PHA	PHA01	National Provider Identifier (NPI) Identifier assigned to the pharmacy by CMS.	N
	PHA02	NCPDP/NABP Provider ID Identifier assigned to pharmacy by the National Council for Prescription Drug Programs.	N
	PHA03	DEA Number Identifier assigned to the pharmacy by the Drug Enforcement Administration.	R
	PHA04	Pharmacy Name Freeform name of the pharmacy.	R
	PHA05	Address Information – 1 Freeform text for address information.	N
	PHA06	Address Information – 2 Freeform text for address information.	N
	PHA07	City Address Freeform text for city name.	N
	PHA08	State Address U.S. Postal Service state code.	N
	PHA09	ZIP Code Address U.S. Postal Service ZIP Code.	N
	PHA10	Phone Number Complete phone number including area code.	N

	PHA11	Contact Name Free-form name.	N
	PHA12	Chain Site ID Store number assigned by the chain to the pharmacy location. Used when PMP needs to identify the specific pharmacy from which information is required.	N
PAT	PAT01	ID Qualifier of Patient Identifier Code identifying the jurisdiction that issues the ID in PAT03.	N
	PAT02	ID Qualifier Code to identify the type of ID in PAT03. If PAT02 is used, PAT03 is required. <ul style="list-style-type: none"> • 01 Military ID • 02 State Issued ID • 03 Unique System ID • 05 Passport ID • 06 Driver’s License ID • 07 Social Security Number • 08 Tribal ID • 99 Other (agreed upon ID) 	R (Must be included if ID of Patient used)
	PAT03	ID of Patient Identification number for the patient as indicated in PAT02. An example would be the driver’s license number.	R (If Available)
	PAT04	ID Qualifier of Additional Patient Identifier Code identifying the jurisdiction that issues the ID in PAT06. Used if the PMP requires such identification.	N

PAT05	Additional Patient ID Qualifier Code to identify the type of ID in PAT06 if the PMP requires a second identifier. If PAT05 is used, PAT06 is required. <ul style="list-style-type: none">• 01 Military ID• 02 State Issued ID• 03 Unique System ID• 05 Passport ID• 06 Driver's License ID• 07 Social Security Number• 08 Tribal ID• 99 Other (agreed upon ID)	N
PAT06	Additional ID Identification that might be required by the PMP to further identify the individual. An example might be in that PAT03 driver's license is required and in PAT06 Social Security number is also required.	N
PAT07	Last Name Patient's last name.	R
PAT08	First Name Patient's first name.	R
PAT09	Middle Name Patient's middle name or initial if available.	R (If Available)
PAT10	Name Prefix Patient's name prefix such as Mr. or Dr.	N
PAT11	Name Suffix Patient's name suffix such as Jr. or the III.	N
PAT12	Address Information – 1 Free-form text for street address information.	R
PAT13	Address Information – 2 Free-form text for additional address information.	N
PAT14	City Address Free-form text for city name.	R
PAT15	State Address U.S. Postal Service state code Note: Field has been sized to handle international patients not residing in the U.S.	R

	PAT16	ZIP Code Address U.S. Postal Service ZIP code. Populate with zeros if patient address is outside the U.S.	R
	PAT17	Phone Number Complete phone number including area code.	R
	PAT18	Date of Birth Date patient was born. Format: CCYMMDD.	R
	PAT19	Gender Code Code indicating the sex of the patient. <ul style="list-style-type: none"> • F Female • M Male • U Unknown 	R
	PAT20	Species Code Used if required by the PMP to differentiate a prescription for an individual from one prescribed for an animal. <ul style="list-style-type: none"> • 01 Human • 02 Veterinary Patient 	R (If Available)
	PAT21	Patient Location Code Code indicating where patient is located when receiving pharmacy services. <ul style="list-style-type: none"> • 01 Home • 02 Intermediary Care • 03 Nursing Home • 04 Long-Term/Extended Care • 05 Rest Home • 06 Boarding Home • 07 Skilled-Care Facility • 08 Sub-Acute Care Facility • 09 Acute Care Facility • 10 Outpatient • 11 Hospice • 98 Unknown • 99 Other 	N

	PAT22	Country of Non-U.S. Resident Used when the patient's address is a foreign country and PAT12 through PAT16 are left blank.	N
	PAT23	Name of Animal Used if required by the PMP for prescriptions written by a veterinarian and the pharmacist has access to this information at the time of dispensing the prescription.	R (If Available)
DSP	DSP01	Reporting Status DSP01 requires one of the following codes, and an empty or blank field no longer indicates a new prescription transaction: <ul style="list-style-type: none"> • 00 New Record (indicates a new prescription dispensing transaction) • 01 Revise (indicates that one or more data element values in a previously submitted transaction are being revised) • 02 Void (message to the PMP to remove the original prescription transaction from its data, or to mark the record as invalid or to be ignored). 	R
	DSP02	Prescription Number Serial number assigned to the prescription by the pharmacy.	R
	DSP03	Date Written Date the prescription was written (authorized). Format: CCYYMMDD	R
	DSP04	Refills Authorized The number of refills authorized by the prescriber.	R
	DSP05	Date Filled Date prescription was filled. Format: CCYYMMDD	R
	DSP06	Refill Number Number of the fill of the prescription. 0 indicates New Rx; 01-99 is the refill number.	R
	DSP07	Product ID Qualifier Used to identify the type of product ID contained in DSP08. <ul style="list-style-type: none"> • 01 NDC • 06 Compound 	R

DSP08	Product ID Full product identification as indicated in DSP07, including leading zeros without punctuation.	R
DSP09	Quantity Dispensed Number of metric units dispensed in metric decimal format. Example: 2.5 Note: For compounds show the first quantity in CDI04.	R
DSP10	Days Supply Estimated number of days the medication will last.	R
DSP11	Drug Dosage Units Code Identifies the unit of measure for the quantity dispensed in DSP09. <ul style="list-style-type: none"> • 01 Each • 02 Milliliters (ml) • 03 Grams (gm) 	R
DSP12	Transmission Form of Rx Origin Code Code indicating how the pharmacy received the prescription. <ul style="list-style-type: none"> • 01 Written Prescription • 02 Telephone Prescription • 03 Telephone Emergency Prescription • 04 Fax Prescription • 05 Electronic Prescription • 99 Other 	R
DSP13	Partial Fill Indicator To indicate whether it is a partial fill. <ul style="list-style-type: none"> • 01 Yes • 02 No 	N
DSP14	Pharmacist National Provider Identifier (NPI) Identifier assigned to the pharmacist by CMS. This number can be used to identify the pharmacist dispensing the medication.	N
DSP15	Pharmacist State License Number This data element can be used to identify the pharmacist dispensing the medication. Assigned to the pharmacist by the State Licensing Board.	N

	DSP16	Classification Code for Payment Type Code identifying the type of payment, i.e. how it was paid for. <ul style="list-style-type: none"> • 01 Private Pay • 02 Medicaid • 03 Medicare • 04 Commercial Insurance • 05 Military Installations and VA • 06 Workers' Compensation • 07 Indian Nations • 99 Other 	R
	DSP17	Date Sold Usage of this field depends on the pharmacy having a point-of-sale system that is integrated with the pharmacy management system to allow a bidirectional flow of information.	N
	DSP18	RxNorm Code Used for electronic prescriptions to capture the prescribed drug product identification.	N
	DSP19	Electronic Prescription Reference Number Used to provide an audit trail for electronic prescriptions.	N
PRE	PRE01	National Provider Identifier (NPI) Identifier assigned to the prescriber by CMS.	N
	PRE02	DEA Number Identifying number assigned to a prescriber or an institution by the Drug Enforcement Administration (DEA).	R
	PRE03	DEA Number Suffix Identifying number assigned to a prescriber by an institution when the institution's number is used as the DEA number.	R (If Available)
	PRE04	Prescriber State License Number Identification assigned to the Prescriber by the State Licensing Board.	R (If Available)
	PRE05	Last Name Prescriber's last name.	N

	PRE06	First Name Prescriber's first name.	N
	PRE07	Middle Name Prescriber's middle name or initial.	N
CDI	CDI01	Compound Drug Ingredient Sequence Number First reportable ingredient is 1; each additional reportable Ingredient is increment by 1.	R
	CDI02	Product ID Qualifier Code to identify the type of product ID contained in CDI03. <ul style="list-style-type: none">• 01 NDC	R
	CDI03	Product ID Full product identification as indicated in CDI02, including leading zeros without punctuation.	R
	CDI04	Compound Ingredient Quantity Metric decimal quantity of the ingredient identified in CDI03. Example: 2.5	R
CDI	CDI05	Compound Drug Dosage Units Code Identifies the unit of measure for the quantity dispensed in CDI04. <ul style="list-style-type: none">• 01 Each (used to report as package)• 02 Milliliters (ml) (for liters; adjust to the decimal milliliter equivalent)• 03 Grams (gm) (for milligrams; adjust to the decimal gram equivalent)	R
	AIR01	State Issuing Rx Serial Number U.S.P.S. state code of state that issued serialized prescription blank. This is required if AIR02 is used.	N
	AIR02	State Issued Rx Serial Number Number assigned to state issued serialized prescription blank.	N
	AIR03	Issuing Jurisdiction Code identifying the jurisdiction that issues the ID in AIR04. Used if required by the PMP and AIR04 is equal to 02 or 06.	N

AIR	AIR04	ID Qualifier of Person Dropping Off or Picking Up Rx Used to identify the type of ID contained in AIR05 for person dropping off or picking up the prescription. <ul style="list-style-type: none"> • 01 Military ID • 02 State Issued ID • 03 Unique System ID • 05 Passport ID • 06 Driver’s License ID • 07 Social Security Number • 08 Tribal ID • 99 Other (agreed upon ID) 	N
	AIR05	ID of Person Dropping Off or Picking Up Rx ID number of patient or person picking up or dropping off the prescription.	N
	AIR06	Relationship of Person Dropping Off or Picking Up Rx Code indicating the relationship of the person. <ul style="list-style-type: none"> • 01 Patient • 02 Parent/Legal Guardian • 03 Spouse • 04 Caregiver • 99 Other 	N
	AIR07	Last Name of Person Dropping Off or Picking Up Rx Last name of person picking up the prescription.	N
	AIR08	First Name of Person Dropping Off or Picking Up Rx First name of person picking up the prescription.	N
AIR	AIR09	Last Name or Initials of Pharmacist Last name or initials of pharmacist dispensing the medication.	N
	AIR10	First Name of Pharmacist First name of pharmacist dispensing the medication.	N
TP	TP01	Detail Segment Count Number of detail segments included for the pharmacy including the pharmacy header (PHA) including the pharmacy trailer (TP) segments.	R
TT	TT01	Transaction Control Number Identifying control number that must be unique. Assigned by the originator of the transaction. Must match the number in TH02.	R

	TT02	Segment Count Total number of segments included in the transaction including the header and trailer segments.	R
--	-------------	---	----------

11.2 SFTP Client Compatibility Chart

Known OpenSSH client versions

Version	Released	Works with DIFTP @ Usernames
3.6.1	04/01/2003	
>3.7	09/16/2003	(We have not tested all variants, but they should work)

Linux Clients

System Name	Kernel Version	SFTP Version	EOL Date	Pass Test	Notes
Fedora Core 1	2.4.22-1	3.6.1p1	09/20/2004		Correctly connects
RHEL/CentOS 3.1	2.4.21-9	3.6.1p2-18			Correctly connects
SLES9 GA	2.6.5-7	3.8p1	11/08/2004		Correctly connects
SLES9 SP3	2.6.5-7	4.1p1	11/08/2004		Correctly connects
SLES10 SP2	2.6.16.60	4.2p1	04/12/2010		Correctly connects
SLES10 SP4	2.6.16.60	5.1p1	07/31/2013		Correctly connects
SLES11 SP2	3.0.34	5.1p1			Correctly connects

Windows Clients

Program Name	Pass Test	Notes
WinSCP > 3.0		Correctly connects (but sometimes asks for a password twice - best to use a key-based auth)
WS_FTP		
CuteFTP 9.0 (2013)		Correctly connects
FileZilla > 3.0 (2007)		Correctly connects
Bitvise 4.62		Correctly connects, but must disable "Open Terminal" under the Options tab